Title 3, California Code of Regulations, Chapter 2, Section 6450.1

Regulations to reduce emissions of volatile organic compounds (VOCs) from fumigant pesticides became effective on January 25, 2008. The rules focus on field fumigant applications made between May 1 and October 31 in five "nonattainment areas" (NAAs) that do not meet federal air quality standards for pesticide VOC emissions. Application method requirements depend on:

- When the fumigant will be applied, and
- Where the fumigant will be applied.

**Between November 1 and April 30, there is <u>no</u> change.** Any field fumigant method previously allowed can be used anywhere in California. (Regulations and permit conditions that already restricted the use of some fumigants still apply.)

Throughout the year, in areas <u>outside</u> the five NAAs there is no change. Any field fumigant method previously allowed can be used anywhere in California. (Regulations and permit conditions that already restricted the use of some fumigants still apply.)

**In the five NAAs,** from May 1 to October 31, field fumigations are limited to specific methods listed in the regulations. (For a map of the NAAs and a list of geographic sections affected by the field fumigant regulations, go to <a href="http://www.cdpr.ca.gov/docs/emon/vocs/vocproj/em\_region.htm">http://www.cdpr.ca.gov/docs/emon/vocs/vocproj/em\_region.htm</a>.)

#### **Key to abbreviations:**

- SAC Sacramento Metro (All of Sacramento and Yolo Counties, parts of El Dorado, Placer, Solano, and Sutter Counties)
- SC South Coast (All of Orange County, parts of Los Angeles, Riverside, and San Bernardino Counties)
- SJV San Joaquin Valley (All of Fresno, Kings, Madera, Merced, San Joaquin, Stanislaus, and Tulare Counties, and part of Kern County)
- **SED** Southeast Desert (Parts of Los Angeles, Riverside, and San Bernardino Counties)
- **VEN** Ventura (All of Ventura County)

**Method**: Day Sprinkler/Broadcast or Bed One Post-Fumigation Water Treatment Method Code: 1401 Emission Rating: 77%

# Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN



### **Method Description**:

- Fumigation must start no earlier than one hour after sunrise and must be completed no later than one hour before sunset.
- Fumigation must be completed in a time that allows compliance with the post-fumigation water treatment below:
  - Water must be applied by an irrigation method that uniformly covers the treated area in the entire application block.
  - On the day of fumigation, one post-fumigation water treatment must consist of at least 0.20 inches of water, beginning within 30 minutes of the completion of fumigation.
  - Any additional post-fumigation water treatment(s) may be applied at any time.

August 2008 (Revised) Page 1 of 9

Title 3, California Code of Regulations, Chapter 2, Section 6450.1

Method: Day Sprinkler/Broadcast or Bed Method Code: 1402

Two Post-Fumigation Water Treatments Emission Rating: 28%

## Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN

#### **Method Description**:

- Fumigation must start no earlier than one hour after sunrise and must be completed no later than one hour before sunset.
- Fumigation must be completed in a time that allows compliance with the post-fumigation water treatment below:
  - Water must be applied by an irrigation method that uniformly covers the treated area in the entire application block.
  - On the day of fumigation, the first post-fumigation water treatment must consist of at least 0.20 inches of water, beginning within 30 minutes of the completion of fumigation. A second post-fumigation water treatment must consist of at least 0.20 inches of water applied starting no earlier than one hour prior to sunset on the day of fumigation and completed by midnight
  - Additional post-fumigation water treatment(s) may be applied at any time provided the treatments required above are completed in the specified time periods.

Method:Day Sprinkler/Broadcast or BedMethod Code:1403Three Post-Fumigation Water TreatmentsEmission Rating:21%

## Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN

x x x x x

#### **Method Description**:

- Fumigation must start no earlier than one hour after sunrise and must be completed no later than one hour before sunset.
- Fumigation must be completed in a time that allows compliance with the post-fumigation water treatment below:
  - Water must be applied by an irrigation method that uniformly covers the treated area in the entire application block.
  - On the day of fumigation, the first post-fumigation water treatment must consist of at least 0.20 inches of water, beginning within 30 minutes of the completion of fumigation. A second post-fumigation water treatment must consist of at least 0.20 inches of water applied starting no earlier than one hour prior to sunset on the day of fumigation and completed by midnight.
  - On the day following fumigation, a third post-fumigation water treatment must consist of at least 0.20 inches of water, and must be applied starting no earlier than one hour prior to sunset and completed by midnight.
  - Additional post-fumigation water treatment(s) may be applied at any time provided the treatments required are completed in the specified time periods.

August 2008 (Revised) Page 2 of 9

Title 3, California Code of Regulations, Chapter 2, Section 6450.1

Method:Day Nontarpaulin/Shallow/Broadcast or BedMethod Code:1404One Post-Fumigation Water TreatmentEmission Rating:77%

#### Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN



## **Method Description**:

- Fumigation must start no earlier than one hour after sunrise and must be completed no later than one hour before sunset.
- Fumigation must be completed in a time that allows compliance with the post-fumigation water treatment below:
  - Water must be applied by an irrigation method that uniformly covers the treated area in the entire application block.
  - On the day of fumigation, one post-fumigation water treatment must consist of at least 0.20 inches of water, beginning within 30 minutes of the completion of fumigation.
  - Any additional post-fumigation water treatment(s) may be applied at any time.

Method:Day Nontarpaulin/Shallow/Broadcast or BedMethod Code:1405Two Post-Fumigation Water TreatmentsEmission Rating:28%

# Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN

x x x x x

#### **Method Description**:

- Fumigation must start no earlier than one hour after sunrise and must be completed no later than one hour before sunset.
- Fumigation must be completed in a time that allows compliance with the post-fumigation water treatment below:
  - Water must be applied by an irrigation method that uniformly covers the treated area in the entire application block.
  - On the day of fumigation, the first post-fumigation water treatment must consist of at least 0.20 inches of water, beginning within 30 minutes of the completion of fumigation. A second post-fumigation water treatment must consist of at least 0.20 inches of water applied starting no earlier than one hour prior to sunset on the day of fumigation and completed by midnight
  - Additional post-fumigation water treatment(s) may be applied at any time provided the treatments required above are completed in the specified time periods.

August 2008 (Revised) Page 3 of 9

Title 3, California Code of Regulations, Chapter 2, Section 6450.1

Method:Day Nontarpaulin/Shallow/Broadcast or BedMethod Code:1406Three Post-Fumigation Water TreatmentsEmission Rating:21%

Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN

### **Method Description**:

- Fumigation must start no earlier than one hour after sunrise and must be completed no later than one hour before sunset.
- Fumigation must be completed in a time that allows compliance with the post-fumigation water treatment below:
  - Water must be applied by an irrigation method that uniformly covers the treated area in the entire application block.
  - On the day of fumigation, the first post-fumigation water treatment must consist of at least 0.20 inches of water, beginning within 30 minutes of the completion of fumigation. A second post-fumigation water treatment must consist of at least 0.20 inches of water applied starting no earlier than one hour prior to sunset on the day of fumigation and completed by midnight.
  - On the day following fumigation, a third post-fumigation water treatment must consist of at least 0.20 inches of water, and must be applied starting no earlier than one hour prior to sunset and completed by midnight.
  - Additional post-fumigation water treatment(s) may be applied at any time provided the treatments required are completed in the specified time periods.

Method:Day Chemigation (Drip System) – TarpaulinMethod Code:1407Day Chemigation (Drip System) – NontarpaulinMethod Code:1408Emission Rating:9%

Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN

#### **Method Description**:

- Fumigation must start no earlier than one hour after sunrise and must be completed no later than one hour before sunset.
- Drip system must be filled with water and tested for pressure variation, clogged emitters, and leaks before chemigation. The pressure must not exceed the pressure rating of the drip tape and the pressure variation in the drip tape throughout the field must be less than three pounds per square inch. Drip system must be free of leaks and clogged emitters.
- After chemigation, the drip system must be flushed with a volume of water at least three times the volume of the mainline and laterals of the drip system.

August 2008 (Revised) Page 4 of 9

Title 3, California Code of Regulations, Chapter 2, Section 6450.1

**Method**: Day Rotary Tiller

Day Power Mulcher
Day Soil Capping

Method Code: 1409 Method Code: 1410 Method Code: 1411

**Emission Rating**: 14%

Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN

x x x x x

## **Method Description**:

- Fumigation must start no earlier than one hour after sunrise and must be completed no later than one hour before sunset.
- Application equipment must be followed immediately by soil compaction equipment.

.

Method Code: 1412 Emission Rating: 77%

Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN

**Method**: Day or Night Flood

× ×

#### **Method Description**:

• The fumigant must be applied with at least six inches of water per acre.

Method: Day Drench

Two Post-Fumigation Water Treatments Effective May 14, 2008; expires May 13, 2011 **Method Code**: 1413 **Emission Rating**: 100%

Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN

×

×

### **Method Description**:

- Fumigation must start no earlier than one hour after sunrise and must be completed no later than one hour before sunset.
- Metam-potassium application rate must not exceed 270 pounds active ingredient per acre.
- Metam-sodium application rate must not exceed 246 pounds active ingredient per acre.
- Soil moisture at the time of application must meet the requirements described in 3 CCR section 6450.1(b).
- Two post-fumigation water treatments as specified in 3 CCR section 6450.1(d)(2)(A) must be applied.
- Pesticide use reports must identify these applications using field fumigation method code 1413.

August 2008 (Revised) Page 5 of 9

Title 3, California Code of Regulations, Chapter 2, Section 6450.1

Method:Day DrenchMethod Code:1413Two Post-Fumigation Water TreatmentsEmission Rating:100%

Two Post-Fumigation Water Treatments Effective May 14, 2008; expires May 13, 2011

Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN

x x x

### **Method Description**:

- Fumigation must start no earlier than one hour after sunrise and must be completed no later than one hour before sunset.
- Metam-potassium application rate must not exceed 98 pounds active ingredient per acre.
- Metam-sodium application rate must not exceed 90 pounds active ingredient per acre.
- Soil moisture at the time of application must meet the requirements described in 3 CCR section 6450.1(b).
- Two post-fumigation water treatments as specified in 3 CCR section 6450.1(d)(2)(A) must be applied.
- Pesticide use reports must identify these applications using field fumigation method code 1413.

August 2008 (Revised) Page 6 of 9

Title 3, California Code of Regulations, Chapter 2, Section 6450.1

Method Code: 1452

**Emission Rating**: 77%

**Method**: Night 1:00 a.m. Start/Sprinkler/Broadcast or Bed

Two Post-Fumigation Water Treatments

Effective May 1, 2008; expires April 30, 2011

Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN

×



## **Method Description**:

- The field must receive an initial irrigation at a rate of 0.20 inches immediately prior to application.
- The fumigation application must be initiated no earlier than 0100 hours and be applied at a minimum rate of 0.20 acre-inches/hour.
- Post-fumigation water treatments must be consistent with the requirements described in 3 CCR section 6450.1(d)(2).

August 2008 (Revised) Page 7 of 9

Title 3, California Code of Regulations, Chapter 2, Section 6450.1

Method: Night 1 a.m. Start/Nontarpaulin/Shallow/Broadcast or Bed
Two Post-Fumigation Water Treatments

Method Code: 1455
Emission Rating: 28%

Effective May 1, 2008; expires April 30, 2011

Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN

x x x x x

#### **Method Description**:

- Fumigation application must start no earlier than 0100 hours
- Post-fumigation water treatments must be consistent with the requirements described in 3 CCR section 6450.1(d)(2)
- The following fumigation equipment and procedures must be used:
  - i. Before application, thoroughly cultivate the field to remove clods with a disc or spring tooth bar. Soil must contain adequate moisture (as stated in 3 CCR section 6450.1(b)) prior to application.
  - ii. The application equipment must meet the following criteria:
    - The shanks must be set on three tool bars, with the bars spaced 12-16 inches apart from front to back.
    - The shanks must be staggered on each tool bar to produce a final overall shank spacing of 9-11 inches.
    - Injection depth on each shank must be at 3-4 inches, 6-7 inches, and 9-10 inches.
    - Nitrogen must be used to purge the system before the applicator bar is lifted out of the ground at any time
  - iii. Compaction equipment:
    - The application tool bars must be followed by a ring roller that is at least as wide as the application tool bars, with four gauge wheels controlled by hydraulic cylinders to control depth and or pressure; or
    - The application tool bars must be followed with a coil packer that is at least as wide as the application tool bars.

August 2008 (Revised) Page 8 of 9

Title 3, California Code of Regulations, Chapter 2, Section 6450.1

**Method**: Night 4:00 a.m. Start/Sprinkler/Broadcast or Bed Two Post-Fumigation Water Treatments

Effective August 7, 2008; expires August 6, 2011

**Method Code**: 1472 **Emission Rating**: 35%

#### Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN

××

## **Method Description**:

- Fumigations must start no earlier than 0400 hours.
- Two post-fumigation water treatments as specified in 3CCR section 6450.1(d)(2) must be applied.
- Pesticide use reports must identify these applications using field fumigation method code 1472.

Method: Night 4:00 a.m. Start/Sprinkler/Broadcast or Bed
Two Post-Fumigation Water Treatments

Method Code: 1472
Emission Rating: 35%

Effective August 7, 2008; expires August 6, 2011

Method allowed (X) in these NAAs (May 1 – October 31):

SAC SC SJV SED VEN

x x x

### **Method Description**:

- Metam-potassium application rate must not exceed 290 pounds A.I. per acre.
- Metam-sodium application rate must not exceed 260 pounds A.I. per acre.
- Fumigations must start no earlier than 0400 hours.
- Two post-fumigation water treatments as specified in 3CCR section 6450.1(d)(2) must be applied.
- Pesticide use reports must identify these applications using field fumigation method code 1472.

August 2008 (Revised) Page 9 of 9